## AMENDMENTS TO THE CLAIMS

## This listing of claims will replace all prior versions and listings of claims in the application.

(previously presented) A compound of Formula (I)

$$R^{1}$$
 $Y$ 
 $A$ 
 $A$ 
 $A$ 

or a pharmaceutically acceptable salt or hydrate thereof wherein

R1 is H, C1-6alkyl, C1-6haloalkyl, C1-6alkoxy, C1-6thioalkyl, cyano, halo,

C<sub>3-7</sub>cycloalkyl, -C<sub>1-6</sub>alkylene-C<sub>3-7</sub>cycloalkyl, C<sub>2-6</sub>alkenyl or C<sub>3-6</sub>alkynyl; R<sup>2</sup> is C(D)NR<sup>3</sup>R<sup>4</sup>, D'- D''(R<sup>3</sup>)(R<sup>4</sup>) or CH<sub>2</sub>N R<sup>3</sup>R<sup>4</sup>

D' is CH2 or a bond;

D" is C, C-OH or CH

wherein

said C is attached to  $R^3$  by a single or double bond; said C is attached to  $R^4$  by a single or double bond;

provided that

C is not attached to both R<sup>3</sup> and R<sup>4</sup> by double bonds:

said CH is attached to R<sup>3</sup> and R<sup>4</sup> by single bonds; said C of C-OH is attached to R<sup>3</sup> and R<sup>4</sup> by single bonds;

D is O or S:

R<sup>3</sup> and R<sup>4</sup> are each independently selected from the group consisting of H, C<sub>1</sub>.

6 alkyl, C<sub>1.6</sub>haloalkyl, -C<sub>1.6</sub>hydroxyalkyl, -C<sub>1.4</sub>alkylene-O-C<sub>1.4</sub>

alkyl, -C<sub>1.3</sub>alkylene-C<sub>1.6</sub>thioalkyl, -C<sub>2.6</sub>alkylidene-

 $(C_{1-4}alkoxy)_2, C_{3-7}cycloalkyl, -C_{1-6}alkylene-C_{3-7}cycloalkyl, \\ C_{2-6}alkenyl, C_{3-6}alkynyl, -C_{1-6}alkylene-CN, -C_{1-6}alkylene-heterocyclo and -C_{1-6}alkylene-aryl; \\$ 

wherein said aryl of said -C<sub>1-6</sub>alkylene-aryl is optionally substituted with one to three of the same or different substituents selected from the group consisting of fluoro, chloro, bromo, cyano, nitro, C<sub>1-4</sub>alkyl and C<sub>1-3</sub>alkoxy;

or

R³ and R⁴ together with the nitrogen to which they are attached form a five or six-membered heterocycle, said heterocycle optionally containing one additional heteroatom selected from the group consisting of N, S and O; and

said heterocycle optionally substituted with one or more groups selected from the group consisting of C<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkoxy, aryl, -C<sub>1-4</sub>alkylene-aryl, pyridyl and halogen;

> wherein said aryl of said -C<sub>1-4</sub>alkylenearyl is optionally substituted with one to three of the same or different substituents selected from the group consisting of fluoro, chloro, bromo, cyano, nitro and C<sub>1-3</sub>alkoxy;

X is C; Y is C; A is



wherein

 $X^1$  is N and is attached to X;  $Y^1$  is N and is attached to Y; G is

wherein

 $Y^2$  is N, CH, CH<sub>2</sub>, C(S), CR<sup>5</sup> or CHR<sup>5</sup> and is attached to  $Y^1$ ; J is CH, CH<sub>2</sub>, C(S), CR<sup>6</sup> or CHR<sup>6</sup>;  $Z^1$  is CH, CH<sub>2</sub>, C(S), CR<sup>7</sup> or CHR<sup>7</sup> and is attached to Z; wherein

> R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are each independently selected from the group consisting of -CN, -C<sub>1-4</sub>. alk(en)ylene-CN, halo, C<sub>1-6</sub>alkyl, C<sub>2-6</sub> alkenyl, C<sub>3-6</sub>alkynyl, C<sub>1-6</sub>haloalkyl, aryl, -C<sub>1-4</sub>alk(en)ylene-aryl, -C<sub>1-4</sub>alk(en)yleneheterocyclo, heterocyclo, -C<sub>1-4</sub>alk(en)yleneamino, -C<sub>1-4</sub>alkylene-amino-C<sub>1-4</sub>alkyl, arylamino, -amino-(C<sub>1-6</sub>alk(en)yl)<sub>1-2</sub>, -aminoaryl, -amino-heterocyclo, C<sub>1-6</sub>alkoxy, -Oaryl and -O-heterocyclo;

Z is N-V, wherein V is phenyl, 2-pyridyl or 3-pyridyl substituted with two to three of the same or different substituents selected from the group consisting of  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy,  $C_{1-6}$ thioalkyl,  $C_{1-4}$ haloalkyl, halogen,  $N(C_1-C_4$ alkyl)<sub>2</sub> and CN.

- (Previously presented) A compound according to claim 1 wherein V is phenyl or 3pyridyl and is substituted with two to three of the same or different substituents selected
  from the group consisting of C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, C<sub>1-6</sub>thioalkyl, C<sub>1-4</sub>alloalkyl, halogen,
  N(C<sub>1</sub>-C<sub>4</sub>alkyl)<sub>2</sub> and CN; said substituents attached at the 2, 4 or 6-positions of said
  phenyl or said 3-pyridyl.
- (previously presented) A compound according to claim 1 wherein V is 2-pyridyl and is substituted with two of the same or different substituents selected from the group consisting of C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, C<sub>1-6</sub>thioalkyl, C<sub>1-4</sub>haloalkyl, halogen, N(C<sub>1</sub>-C<sub>4</sub>alkyl)<sub>2</sub> and CN; said substituents attached at the 3 and 5-positions of said 2-pyridyl.
- 4. (original) A compound according to claim 1 wherein R<sup>1</sup> is C<sub>1-6</sub>alkyl or C<sub>1-6</sub>haloalkyl.
- 5. (original) A compound according to claim 1 wherein R<sup>1</sup> is methyl or trifluoromethyl.
- 6. (original) A compound according to claim 1 wherein R2 is C(D)NR3R4 and D is O.
- 7. (original) A compound according to claim 1 wherein R2 is CH2N R3R4.
- (previously presented) A compound according to claim 1 wherein R<sup>2</sup> is D'-D''(R<sup>3</sup>)(R<sup>4</sup>),
   D' is a bond and D'' is C-OH.
- (previously presented) A compound according to claim 1 wherein R<sup>2</sup> is D'-D''(R<sup>3</sup>)(R<sup>4</sup>),
   D' is a bond and D'' is C or CH.
- 10. (original) A compound according to claim 1 wherein R³ and R⁴ are each independently selected from the group consisting of H, C<sub>1-6</sub>alkyl, C<sub>1-6</sub>haloalkyl, -C<sub>1-6</sub>hydroxyalkyl, -C<sub>1-4</sub>alkylene-O-C<sub>1-4</sub>alkylene-C<sub>1-6</sub>thioalkyl, -C<sub>2-6</sub>alkylidene-(C<sub>1-4</sub>alkoxy)<sub>2</sub>, C<sub>3-7</sub>cycloalkyl, -C<sub>1-6</sub>alkylene-C<sub>3-7</sub>cycloalkyl, C<sub>2-6</sub>alkenyl, C<sub>3-6</sub>alkynyl and -C<sub>1-6</sub>alkylene-CN.

- 11. (original) A compound according to claim 1 wherein R³ and R⁴ together with the nitrogen to which they are attached form a five or six-membered heterocycle.
- 12. (original) A compound according to claim 1 wherein V is 2, 4, 6-trimethylphenyl.
- 13. (original) A compound according to claim 1 wherein V is 2,4-dichlorophenyl.
- 14. (original) A compound according to claim 1 wherein R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are each independently selected from the group consisting of halogen, C<sub>1-6</sub>alkyl, C<sub>1-6</sub>haloalkyl, benzyl, phenyl, C<sub>1-3</sub>alkyl-imidazolyl, C<sub>1-3</sub>alkyl-indolyl and C<sub>1-3</sub>alkyl-pyridyl.
- 15. (original) A compound according to claim 1 wherein Y2 is CH2, J is CH2 and Z1 is CH2.
- 16. (original) A compound according to claim 1 wherein  $R^1$  is CN or CF<sub>3</sub> and  $Y^2$  is CH<sub>2</sub>, J is CH<sub>2</sub> and  $Z^1$  is CH<sub>2</sub>.
- 17. (canceled)
- 18. (canceled)
- (previously presented) A compound or pharmaceutically acceptable salt or hydrate thereof selected from the group consisting of

 $\label{lem:cyclopropylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;$ 

- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid ethyl ester;
- 2-Ethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid ethyl ester;
- [2-Trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a] pyrimidin-3-yl]-methanol;

- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-yl]-methanol;
- 2-Ethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid cyclopropylmethyl-propyl-amide;
- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid pentafluorophenyl ester;
- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid phenethyl-propyl-amide;
- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid cyclobutylmethyl-propyl-amide;
- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid bis-cyclopropylmethyl-amide;
- Cyclopropylmethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- 3-(3,6-Dihydro-2H-pyridin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-
- 5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-Thiomorpholin-4-ylmethyl-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-alpyrimidine:
- 3-Piperidin-1-ylmethyl-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-(2-Methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-(4-Methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- Benzyl-methyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Methyl-phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- $\label{lem:decomposition} Diallyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;$
- Dipropyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-

a]pyrimidin-3-ylmethyl]-amine;

Butyl-methyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Butyl-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyll-amine:

Ethyl-(2-methyl-allyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

3-(3-Phenyl-pyrrolidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a|pyrimidine;

Cyclopropylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5.6.7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclopropylmethyl-(2,2,3,3,3-pentafluoro-propyl)-[2trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclopropylmethyl-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclobutylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclobutylmethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

 $\label{lem:propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;$ 

 $\label{lem:prople} Propyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;$ 

(2,2,3,3,3-Pentafluoro-propyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5.6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyll-amine;

Phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

Phenethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyll-amine;

Phenethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

- Ethyl-phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyll-amine;
- Benzyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Benzyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (2-Cyclopropyl-ethyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- (2-Cyclopropyl-ethyl)-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-alpyrimidin-3-vlmethyll-amine;
- (2-Cyclopropyl-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyll-(3,3,3-trifluoro-propyl)-amine:
- (2-Cyclopropyl-ethyl)-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-alpyrimidin-3-ylmethyll-amine:
- (4-Fluoro-benzyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- $\label{lem:condition} (4-Fluoro-benzyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;$
- (4-Chloro-benzyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (4-Chloro-benzyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Allyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-propyl-amine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-morpholin-4-ylmethyl-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-thiomorpholin-4-ylmethyl-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-piperidin-1-ylmethyl-2-trifluoromethyl-5,6,7,8-

tetrahydro-imidazo[1,2-a]pyrimidine;

8-(2-Chloro-4,6-dimethyl-phenyl)-3-(2-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;

8-(2-Chloro-4,6-dimethyl-phenyl)-3-(3-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;

8-(2-Chloro-4,6-dimethyl-phenyl)-3-(4-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;

Diallyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl-methyl-amine;

Benzyl-butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-(2-methyl-allyl)-amine;

Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydroimidazo[1,2-a]pyrimidin-3-ylmethyl]-methyl-amine;

Butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-dipropyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-methoxy-ethyl)-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-(2,2,2-trifluoro-ethyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-ethyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-(2,2,2-trifluoro-ethyl)-amine;

- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-
- a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-(2,2,3,3,3-pentafluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyll-propyl-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4.6-dimethyl-phenyl)-2-trifluoromethyl-5.6.7.8-tetrahydro-imidazo[1.2-
- a]pyrimidin-3-ylmethyl]-(2,2,3,3,3-pentafluoro-propyl)-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-alpyrimidin-3-vlmethyl]-phenethyl-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pvrimidin-3-vlmethyl]-phenethyl-(2,2,2-trifluoro-ethyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-phenethyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-alpyrimidin-3-vlmethyll-phenethyl-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-alpyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-(3,3,3-trifluoro-propyl)-amine:
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-alpyrimidin-3-ylmethyll-(2-cyclopropyl-ethyl)-ethyl-amine:
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-propyl-amine;
- Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-alpyrimidin-3-ylmethyll-(2-cyclopropyl-ethyl)-(2,2,2-trifluoro-ethyl)-amine;
- $[8\hbox{-}(2\hbox{-}Chloro\hbox{-}4,6\hbox{-}dimethyl\hbox{-}phenyl)\hbox{-}2\hbox{-}trifluoromethyl\hbox{-}5,6,7,8\hbox{-}tetrahydro\hbox{-}imidazo[1,2\hbox{-}1,2\hbox{-}2]$
- a]pyrimidin-3-ylmethyl]-(4-fluoro-benzyl)-(3.3,3-trifluoro-propyl)-amine;
- (4-Chloro-benzyl)-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-dimethyl-phenyl-p
- tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (4-Chloro-benzyl)-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-alpyrimidin-3-ylmethyll-propyl-amine:
- Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-

- imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;
- Allyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetra hydro-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetra hydro-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetra hydro-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetra hydro-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetra hydro-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetra hydro-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetra hydro-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetra hydro-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetra hydro-dimethyl-pheny
- imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;

a]pyrimidin-3-ylmethyl]-(4-nitro-benzyl)-propyl-amine;

- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-alpyrimidin-3-vlmethyll-(4-fluoro-benzyl)-propyl-amine:
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3-fluoro-benzyl)-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-
- a]pyrimidin-3-ylmethyl]-(3-fluoro-benzyl)-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-(2,2,2-trifluoro ethyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-dimethyl-phenyl]-2-trifluoromethyl-1,0-dimethyl-phenyl-1,0-dimethyl-phenyl-1,0-dimethyl-phenyl-p
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-alpvrimidin-3-vlmethyl-eyclobutylmethyl-ethyl-amine:
- 3-(2-Benzyl-pyrrolidin-1-ylmethyl)-8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine; and
- 3-(2-Benzyl-pyrrolidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine.
- 20. (currently amended) A method of treating depression and anxiety comprising the administration of <u>an effective amount of</u> a pharmaceutical composition comprising a compound according to claim 1.